## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Melo et al.

Art Unit: 1633

U.S. Patent No. 7,563,777

Examiner: S. Kaushal

Application No: 10/714,449

Confirmation No: 9366

Issued: July 21, 2009

Atty. Docket No: 42597-193226

Filed: November 17, 2003

Customer No:

For: METHOD TO INDUCE NEOVASCULAR

FORMATION AND TISSUE

REGENERATION

26694
PATENT TRADEMARK OFFICE

## REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.322

Attention: Certificate of Correction Branch

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Dear Madam:

Upon reviewing the above-identified patent, Patentee noted a typographical error which should be corrected.

In the Claims:

In Claim 18, column 31, line 64, delete "intramuscular and is".

The error was not in the application as filed by applicant; accordingly no fee is required.

Patent No.: 7,563,777 Docket No.: 42597-193226

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: Nys 2Ng

Respectfully submitted,

Nancy J. Axelrod, Ph.D.

Registration No.: 44,014

Michael A. Gollin

Registration No.: 31,957

VENABLE LLP P.O. Box 34385

Washington, DC 20043-9998

(202) 344-4000

(202) 344-8300 (Fax)

Attorney/Agent For Applicant

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page \_1\_ of \_1\_

PATENT NO. : 7,563,777

APPLICATION NO. : 10/714,449

ISSUE DATE : July 21, 2009

INVENTOR(S) : Melo et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Claim 18, column 31, line 64, delete "intramuscular and is".

1